PRODUCT CATALOGUE · 2026

Super *Fasteners*

SS, MS, hydraulic & ferrule fittings and valves.
A Mumbai trading legacy since 1976.











5 families
39 product lines
4 branches
SMC · Pidilite
authorised dealer

FAMILY 01 / 05

SS Pipe Fittings

Stainless steel threaded pipe fittings for high-pressure applications — corrosion-resistant, clean and built for long service.

MATERIAL	**Stainless steel**
CONNECTION	**Threaded pipe (BSP / NPT)**
TYPICAL USE	**High-pressure process, water, air and chemical lines**



Bushing

Reduces a larger female port down to a smaller thread size in one compact piece.

SIZE / THREAD: ON REQUEST



Coupling

Joins two lengths of threaded pipe in a straight line with female threads on both ends.

SIZE / THREAD: ON REQUEST



Cross Tee

A four-way fitting that branches one line in two directions at once.

SIZE / THREAD: ON REQUEST



Elbow

Turns a threaded line through 90° with a smooth internal bore.

SIZE / THREAD: ON REQUEST



Hex Nipple

A short double-male connector with a hex in the centre for spanner grip.

SIZE / THREAD: ON REQUEST



Hex Plug

Seals an open female port; the hex head allows firm tightening.

SIZE / THREAD: ON REQUEST

FAMILY 01 / 05

SS Pipe Fittings

Stainless steel threaded pipe fittings for high-pressure applications — corrosion-resistant, clean and built for long service.

MATERIAL	**Stainless steel**
CONNECTION	**Threaded pipe (BSP / NPT)**
TYPICAL USE	**High-pressure process, water, air and chemical lines**



Nozzle

Threaded nozzle with a barbed tail, used to connect hose to a threaded port.

SIZE / THREAD: ON REQUEST



Nut Cap

Caps a male-threaded end to close off a line cleanly.

SIZE / THREAD: ON REQUEST



Square Plug

Square-head plug that seals a female port — easy to grip with a wrench.

SIZE / THREAD: ON REQUEST



Tee

A three-way fitting that branches a line at 90°.

SIZE / THREAD: ON REQUEST



Union

Lets a line be disconnected and reconnected without turning the pipe.

SIZE / THREAD: ON REQUEST

FAMILY 02 / 05

MS Fittings

Mild steel fittings for hydraulic and pneumatic systems — the everyday workhorses of machine shops and maintenance teams.

MATERIAL	**Mild steel (plated)**
CONNECTION	**Threaded / swivel**
TYPICAL USE	**Hydraulic power packs, pneumatic panels and machine plumbing**



Bushing

Reduces a female port to a smaller thread for hydraulic and pneumatic lines.

SIZE / THREAD: ON REQUEST



Breather Plug

Vents air from tanks and gearboxes while keeping dirt and moisture out.

SIZE / THREAD: ON REQUEST



Coupling

Long-body female coupling to join two threaded ends in line.

SIZE / THREAD: ON REQUEST



Female Elbow

90° elbow with female threads on both ends.

SIZE / THREAD: ON REQUEST



Hex Nipple

Double-male adaptor with hex body to join two female ports.

SIZE / THREAD: ON REQUEST



Hex Plug

Blanks off an unused port in hydraulic manifolds and blocks.

SIZE / THREAD: ON REQUEST

FAMILY 02 / 05

MS Fittings

Mild steel fittings for hydraulic and pneumatic systems — the everyday workhorses of machine shops and maintenance teams.

MATERIAL	**Mild steel (plated)**
CONNECTION	**Threaded / swivel**
TYPICAL USE	**Hydraulic power packs, pneumatic panels and machine plumbing**



Hose Nipple

Connects a hose to a threaded port through a ribbed tail.

SIZE / THREAD: ON REQUEST



Male Cross

Four-way fitting with male ends for distributing a line.

SIZE / THREAD: ON REQUEST



Male Tee

Three-way fitting with male threads on every end.

SIZE / THREAD: ON REQUEST



Square Plug

Square-head plug for sealing female ports in machine plumbing.

SIZE / THREAD: ON REQUEST



Swivel Adapter

A swivel nut lets one end turn during assembly, so the hose never twists.

SIZE / THREAD: ON REQUEST



Swivel Elbow

90° elbow with a swivel nut for easy alignment of hoses and pipes.

SIZE / THREAD: ON REQUEST

FAMILY 02 / 05

MS Fittings

Mild steel fittings for hydraulic and pneumatic systems — the everyday workhorses of machine shops and maintenance teams.

MATERIAL	**Mild steel (plated)**
CONNECTION	**Threaded / swivel**
TYPICAL USE	**Hydraulic power packs, pneumatic panels and machine plumbing**



Swivel Tee

Tee with a swivel branch — fit it first, then align it.

SIZE / THREAD: ON REQUEST

FAMILY 03 / 05

Hydraulic Ferrule Fittings

Compression ferrule fittings for hydraulic tube connections — a firm, vibration-resistant grip without welding.

MATERIAL	**Steel**
CONNECTION	**Compression ferrule (tube)**
TYPICAL USE	**Hydraulic tube connections on machines and power units**



Male Connector

Connects hydraulic tube straight into a male-threaded port.

SIZE / THREAD: ON REQUEST



Male Elbow

Connects hydraulic tube to a threaded port at 90°.

SIZE / THREAD: ON REQUEST



Union

Joins two hydraulic tubes in a straight line.

SIZE / THREAD: ON REQUEST



Union Tee

Joins three hydraulic tubes in a T.

SIZE / THREAD: ON REQUEST

FAMILY 04 / 05

Valves

Ball, needle, manifold and non-return valves — to shut off, meter, isolate and protect your line.

MATERIAL	**Stainless steel**
CONNECTION	**Threaded**
TYPICAL USE	**Shut-off, fine flow control, instrument isolation and back-flow protection**



Ball Valve

Quarter-turn shut-off — the lever position shows open or closed at a glance.

SIZE / THREAD: ON REQUEST



Needle Valve

A fine tapered stem gives precise, gradual control of flow.

SIZE / THREAD: ON REQUEST



Manifold Valve

A multi-valve block to isolate, equalise and vent pressure instruments.

SIZE / THREAD: ON REQUEST



Non Return Valve

Allows flow in one direction only and stops back-flow automatically.

SIZE / THREAD: ON REQUEST

FAMILY 05 / 05

SS Ferrule Fittings

Stainless steel ferrule fittings for instrumentation tubing — leak-tight, repeatable joints on precision lines.

MATERIAL	**Stainless steel**
CONNECTION	**Twin-ferrule compression (tube)**
TYPICAL USE	**Instrumentation tubing, gauges, analysers and sampling lines**



Female Connector

Connects instrumentation tube to a female-threaded port.

SIZE / THREAD: ON REQUEST



Ferrule Set

The nut and ferrule rings that grip and seal the tube when tightened.

SIZE / THREAD: ON REQUEST



Male Connector

Connects instrumentation tube straight into a male-threaded port.

SIZE / THREAD: ON REQUEST



Male Elbow

Takes instrumentation tube into a male port at 90°.

SIZE / THREAD: ON REQUEST



Union

Joins two instrumentation tubes of the same size.

SIZE / THREAD: ON REQUEST



Union Elbow

Joins two tubes at 90° — ideal in tight panels.

SIZE / THREAD: ON REQUEST

FAMILY 05 / 05

SS Ferrule Fittings

Stainless steel ferrule fittings for instrumentation tubing — leak-tight, repeatable joints on precision lines.

MATERIAL	**Stainless steel**
CONNECTION	**Twin-ferrule compression (tube)**
TYPICAL USE	**Instrumentation tubing, gauges, analysers and sampling lines**



Union Tee

Joins three tubes in a T for branching instrument lines.

SIZE / THREAD: ON REQUEST

Send us your list.

We quote within hours.

CALL SALES	+91 87796 89396
WHATSAPP	+91 84518 21920
EMAIL	salessuperph@gmail.com
VASAI BRANCH	17/18 Sheetal Shagun Industrial Estate, Sativali Road, near Valive Phata, Vasai East, Maharashtra 401208
BRANCHES	Nagdevi (Mumbai) · Vasai · Turbhe (Navi Mumbai) · Gami
AUTHORISED DEALER	SMC · Pidilite

Product images are representative. Sizes, threads and pressure ratings are confirmed with every quotation.